

## **Summary of Cancer Incidence and Mortality for Zip Code 29625 (Anderson, SC)**

### ***Cancer Incidence in Zip Code 29625***

The first step in the analysis of cancer data for zip code 29625 was to look at the number of new cancer cases diagnosed in the zip code and compare this to the number of cancer cases expected (see Table 1). This first step determines if there is anything unusual with cancer patterns in the area. The number of "expected" cancer cases is calculated by using South Carolina cancer rates and applying them to the population of the zip code.

Table 1 shows what types of cancer occurred in zip code 29625 from 1996-2000, and how many cancer cases were expected. Overall, there were fewer cases of cancer than expected. A total of 543 new cases of cancer occurred in the zip code, while 585 cases were expected. The most common types of cancer were lung, prostate, female breast, and colon/rectum cancers. These four types of cancer are also the most common cancers occurring across all of South Carolina.

The analysis did not reveal any specific types of cancer with statistically significant elevations.

### ***Cancer Deaths in Zip Code 29625***

To assess cancer deaths in this zip code, cancer mortality data from 1997-2001 were used. The same process used to analyze new cancer cases was also used to analyze cancer deaths. Table 2 shows the number of cancer deaths that occurred and the number expected in the zip code. A total of 244 cancer deaths occurred in this zip code, while 280 deaths were expected. Therefore, fewer cancer deaths occurred than expected. Again, there were no specific types of cancer death with statistically significant elevations.

### ***Conclusions***

To summarize, fewer cancer cases and cancer deaths occurred in zip code 29625 than expected. No significant elevations are seen among any type of cancer.

In order for a true cancer cluster to exist, the number of cancers occurring must be more than would be expected by chance. Along with statistical testing, there are several other criteria that determine whether a true cancer cluster exists. First, a cancer cluster would more likely involve rarer types of cancer rather than more common cancers like breast or lung cancers. Also, a cancer cluster would occur with one specific type of cancer rather than having excesses in several different types of cancer.

Taking all these criteria into consideration, there is no evidence of cancer clustering or of cancers resulting from environmental exposures in zip code 29625.

For questions about this report, please contact Laura Sanders at the SC Central Cancer Registry.

### ***Report provided by:***

SC Central Cancer Registry  
Department of Health and Environmental Control  
2600 Bull St.  
Columbia, SC 29201  
Phone: (800) 817-4774 or (803) 898-3696

Information on cancer incidence provided by the SC Central Cancer Registry, Office of Public Health Statistics and Information Services, SC Dept. of Health and Environmental Control.

Information on cancer mortality provided by the Division of Vital Records and the Division of Biostatistics, SC Dept. of Health and Environmental Control.

4/2/03

**Table 1. Analysis of New Cancer Cases in Zip Code 29625, 1996-2000**

<b>Site</b>	<b>Observed No. of Cases</b>	<b>Expected No. of Cases</b>	<b>Observed/Expected</b>	<b>Chi-SquareTest*</b>
Lung/Bronchus	101	93.0	1.09	0.68
Prostate	78	96.5	0.81	3.54
Breast (Female)	71	85.9	0.83	2.59
Colon/Rectum	60	68.4	0.88	1.04
Bladder	27	23.5	1.15	0.51
Melanoma	19	19.4	0.98	0.01
Non-Hodgkin's Lymphoma	18	19.1	0.94	0.06
Kidney/Renal Pelvis	15	14.6	1.03	0.01
Oral/Pharynx	14	16.5	0.85	0.37
Pancreas	12	13.4	0.89	0.15
Brain/CNS	11	7.7	1.42	1.39
Multiple Myeloma	10	6.7	1.50	1.67
Larynx	9	7.1	1.26	0.49
Thyroid	9	5.8	1.54	1.70
Uterus	8	14.3	0.56	2.77
Leukemia	8	11.3	0.71	0.95
Ovary	8	9.6	0.83	0.27
Stomach	7	9.4	0.74	0.61
Esophagus	7	8.0	0.88	0.12
Cervix	2	7.7	0.26	4.25
Unknown/III-Defined	13	NA	NA	NA
All Sites	543	584.5	0.93	2.95

Excludes in situ cases of cancer to allow for comparison.

Cancer sites with less than 5 cases of cancer expected are not analyzed due to the unreliability of statistical tests based on small numbers.

\*The Chi-Square statistical test allows us to determine if the difference between what is observed and what is expected is significant. If the value is greater than 3.84, then we are 95% confident that the observed number of cases is significantly different from the expected number of cases.

Prepared by: SC Central Cancer Registry, Office of Public Health Statistics and Information Services, Department of Health and Environmental Control, 2600 Bull St., Columbia, SC 29201

April 2, 2003 lcs

**Table 2. Analysis of Cancer Deaths in Zip Code 29625, 1997-2001**

<b>Site</b>	<b><u>Observed No. of Deaths</u></b>	<b><u>Expected No. of Deaths</u></b>	<b><u>Observed/Expected</u></b>	<b><u>Chi-SquareTest*</u></b>
Lung/Bronchus	85	81.6	1.04	0.14
Colon/Rectum	29	27.9	1.04	0.05
Prostate	17	19.9	0.85	0.43
Breast (Female)	14	20.3	0.69	1.96
Pancreas	14	15.5	0.90	0.15
Brain/CNS	11	6.9	1.61	2.51
Non-Hodgkin's Lymphoma	8	10.2	0.79	0.46
Bladder	8	5.4	1.48	1.24
Kidney/Renal Pelvis	7	5.7	1.23	0.31
Leukemia	5	9.9	0.51	2.41
Esophagus	5	6.7	0.74	0.44
Multiple Myeloma	5	6.5	0.77	0.36
Liver	4	5.3	0.75	0.33
Oral/Pharynx	3	5.2	0.58	0.93
Stomach	2	7.1	0.28	3.63
Ovary	2	6.4	0.31	3.05
Unknown/III-Defined	14	NA	NA	NA
All Sites	244	279.5	0.87	4.50

Cancer sites with less than 5 cancer deaths expected are not analyzed due to the unreliability of statistical tests based on small numbers.

\*The Chi-Square statistical test allows us to determine if the difference between what is observed and what is expected is significant. If the value is greater than 3.84, then we are 95% confident that the observed number of deaths is significantly different from the expected number of deaths.

Prepared by: SC Central Cancer Registry, Office of Public Health Statistics and Information Services, Department of Health and Environmental Control, 2600 Bull St., Columbia, SC 29201

April 2, 2003 lcs